






Thermoplastic

Armstrong Thermoplastic Exterior Wall Finish



ARMSTRONG PAINTS

	Almond White 14193		Ruffles 14194		Snow Cherries 17139		Orchid White 11138		Bluebell White 25076
	Rosepetal 14152		Calypso 14255		Blossom 14446		Purple Lint 11083		Tinkerbell 11186
	Persimmon White 16452		Floral Peach 14364		Papillon 14253		Patina 11187		Regatta 13271
	Creme Brulee 17141		Sand Dune 14371		Duchess 14258		Candy Floss 14447		Guava Ice 13504
	Apricot 12135		Tangerine 14254		Mont Rouge 14522		Solitaire 11349		Kiwi Beads 13596
	Coral Blush 14491		Ginger Ale 17140		Monzaa 14564		Tungsten 10412		China Glass 13571
	Orange Lantern 17105		Choco Malt 17123		Southern Alps 14565		Mercury 10235		Saigon Bay 11683

Armstrong



Pebbles 16345



Sunflower White 16451



Waterfall 13416



Gum Tree 13597



Mandarin Fields 16566



Vineyard 13595



Zambezi Rocks 16566



Lily White 16151



Candlelight 16424




Raw Silk 16492



French linen 16535



Apple Cider 16603



Orange Farm 16604



Toffee Crunch 17142



Rose White 14115



Banana 12138



Buttermilk 12140



Butter Cream 16423



Pure Gold 16453



Mocha Woods 12658



Terra Cotta 12199



Barley White 25075



Debutant 16188



Fairlady 16187



Cheese Factory 16602



Summer Daisy 16454



Carmel 16533



Rocky Mountain 12670




Orian 16273



Wicker 16343



Galaxy 12334



Banana Toffee 12638



Sandstone 12653



Vistasik Brown 12655





Boutique 12136

Thermoplastic Paint

	Apple White	25074		Lavender White	11242		Forget-Me-Not	11443		Cloudless Sky	11561		Royal	11705
	Aqua White	13270		Ocean White	11610		Charisma	11243		Alaska	11704		Wira Blue	11221

Armstrong Roofshield

	Matahari	12651		Sahara	12652		Texas Brown	12705		Casa Blue	11445		Plus Green	13600
	Crayon	17144		Oriental	14566		Impian Red	12521		Kayangan Blue	11446		Rimba Green	13417



5 years warranty on old surface/re-painting.



7 years warranty on new surface/
new projects (house, buildings
with masonry surface)

• Under our terms and conditions •



Also available as lacquer (colourless), 122 black & 101 white.

The colours on this card are as close to actual paint colours as modern printing techniques will allow.



Armstrong Thermoplastic Exterior Wall Finish

Highly Fungus Resisting More Durable Than Emulsion Paints

ARMSTRONG Plastic Paint is a superior quality quick drying solvent based synthetic interior & exterior coating. It is ideally suited for Longlasting decoration and protection of all interior & exterior concrete & plaster surfaces. ARMSTRONG Plastic Paint possesses outstanding weather and water resistant properties and is completely resistant to fungus attack.

Direction For Use:

Surfaces to be painted should be dry, clean and sound. New surfaces should be sealed with a coat of ARMSTRONG SEALER UNDERCOATED WHITE. Interior Repainting on old surfaces can directly be sanded with ARMSTRONG Plastic Paint. Any loose old film should be scraped off before hand. ARMSTRONG Plastic Paint can be easily applied by either brush or roller.

Thining: For optimum protection 2 coats of ARMSTRONG Plastic Paint is recommended. Thining is recommended as follow :- 1st coat 10%, and 2nd coat 5 %.

Drying Time:

The normal dry to touch time is 10-30 minutes. Ensure adequate drying before recoating (minimum 2 hours).

Coverage:

One a normal smooth surface : approximately 11-12 square meters per liter per coat. Clean brushes and tools in thinner immediately after use.

How Much Paint Do I Use?

Exterior Wall

Terrace/Semi Detached/Bungalow

•Wall Area Coverage - 1L covers approximately 8m per coat.

Interior Wall

3 Rooms

- Bedrooms - One 5L can for each bedroom.
- Living/Dining - One 5L cans.
- All Ceiling - Three 5L cans.

4 Rooms

- Bedrooms - One 5L can for each bedroom
- Living/Dining - Two 5L cans
- All Ceiling - Three 5L cans

5 Rooms

- Bedrooms - One 5L can for each bedroom
- Living/Dining - Two 5L cans
- All Ceiling - Four 5L cans

Malsonette/Executive

- Bedrooms - One 5L can for each bedroom
- Living/Dining - Four 5L cans
- All Ceiling - Four 5L cans

Notes: The above quantiles are estimates only.

Painting The Right Way

Now that you have chosen you ideals colours and types of finish/ here are some few important tips to make your paint job come out with flying colours.

1. Prepare the surface

- The most important stage. Ensure all surfaces are clean, dry and grease-free.
- Wash with water & liquid detergent.
- For heavy and stubborn stains, use turpentine & wash thoroughly.
- Fungus & mould: remove as above, followed by fungicidal wash of bleach.

2. Apply the Sealer or Primer

3. Apply the Undercoat

4. Apply the Finishing Coat

5. Be responsible to the anvironment

- Do not dispose of unwanted paint down drains.
- Allow paint to dry out in the container before dropping them into the rubbish bins.

ARMSTRONG 油性塑胶漆是一种有溶解性高品质快干合成户内及户外用漆。它具有持久的装饰和保护功能，是涂饰户内及户外各种水泥墙面的理想选择。ARMSTRONG油性塑胶漆特别耐晒，抗水，更能彻底抵抗青苔。

用法说明:

墙面必需清洁，干燥和坚实，新建水泥墙面需要用一层ARMSTRONG抗硷墙面水漆来打底。若再涂饰旧的内墙面可以直接涂用ARMSTRONG油性塑胶漆铲除已起泡或松脱了的旧漆层。ARMSTRONG油性塑胶漆很容易髹除。用漆刷，滚轴器皆可。

调稀法:

要最佳保护功能，涂上2层ARMSTRONG油性塑胶漆既可。以下是被推荐的调稀法。第一层10%，第二层5%。

干固时间:

一般上髹后10到30分钟就可以触摸，髹完一层之后，最少须间隔2小时才可再髹另一层。

用量:

在普通光滑墙面上，一公升可在11到12方公尺面积髹涂一层，髹涂工作完成以后，立刻以天那水洗漆工具。

髹漆指南

我需要多少漆量?

外墙

排屋/半独立式/洋房

墙外髹涂面积 — 1公升容量，每层大约可髹8平方米。

内墙

3 间房

睡房 — 每间睡房 1 罐 5公升庄
客厅/饭厅 — 1罐 5公升庄
所有天花板 — 3 罐 5公升庄

4 间房

睡房 — 每间睡房1 罐 5 公升庄
客厅/饭厅 — 2 罐 5 公升庄
所有天花板 — 3 罐 5 公升庄

5 间房

睡房 — 每间睡房1 罐 5 公升庄
客厅/饭厅 — 2 罐 5 公升庄
所有天花板 — 4 罐 5 公升庄

二层楼公寓/执行员型

睡房 — 每间睡房1 罐 5 公升庄
客厅/饭厅 — 4 罐 5 公升庄
所有天花板 — 4 罐 5 公升庄

备注：以上漆量纯属估计份量。

正确髹漆方式

如今您已选择了您理想的色彩与面漆种类，以下有几种重要贴士，可助您确保髹漆效果尽善尽美。

1 为表面进行准备工作

这是最重要的阶段。确定所有表面清洁，干透以及没有油渍。

利用清水与液体清洁剂洗涤表面。

使用松节油彻底洗去肮脏与顽固的污迹。

利用以上方法清理真菌与霉菌，然后使用杀菌洗涤剂或漂白剂处理。

2 髹涂对补漆或低漆

3 髹涂中层漆

4 髹涂面漆

5 负起责任，爱护环境 切勿将废漆倒入沟渠。让罐内漆料干却后，才将漆罐丢进垃圾桶。



Manufacturer / Distributor by:

